

|  |   |                                 |
|--|---|---------------------------------|
| REPLACEMENT<br>INFORMATION DISCLOSURE<br>CITATION IN AN<br>APPLICATION<br><br>(PTO-1449) | ATTY. DOCKET NO.<br><b>066785-0017</b>      | SERIAL NO.<br><b>10/813,856</b> |
|  | APPLICANT<br><b>Douglas A. Lappi et al.</b> |                                 |
|  | FILING DATE<br><b>March 30, 2004</b>        | GROUP<br><b>1631</b>            |

## U.S. PATENT DOCUMENTS

| EXAMINER'S INITIALS | CITE NO. | Document Number<br>Number-Kind Code <sup>2</sup> (if known) | Publication Date<br>MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
|---------------------|----------|---|--------------------------------|---|---|
|                     | 1.       | US 5,191,067  | 03-02-1993                     | Lappi et al.                                    |   |
|                     | 2.       | US 5,679,637  | 10-21-1997                     | Lappi et al.                                    |   |
|                     |          |   |                                |   |   |
|                     |          |   |                                |   |   |
|                     |          |   |                                |   |   |
|                     |          |   |                                |   |   |

## FOREIGN PATENT DOCUMENTS

| EXAMINER'S<br>INITIALS | CITE<br>NO. | Foreign Patent Document<br>Country Code <sup>3</sup> -Number 4-Kind<br>Codes (if known) | Publication Date<br>MM-DD-YYYY | Name of Patentee or<br>Applicant of Cited Document | Pages, Columns, Lines<br>Where Relevant<br>Figures Appear | Translation |    |
|------------------------|-------------|---|--------------------------------|--|---|-------------|----|
|                        |             |   |                                |  |   | Yes         | No |
|                        |             |   |                                |  |   |             |    |
|                        |             |   |                                |  |   |             |    |
|                        |             |   |                                |  |   |             |    |
|                        |             |   |                                |  |   |             |    |
|                        |             |   |                                |  |   |             |    |

## OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

| EXAMINER'S INITIALS | CITE NO. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. |  |
|---------------------|----------|---|--|
|                     | 3.       | ABBADIE et al., "Inflammation increases the distribution of dorsal horn neurons that internalize the neurokinin-1 receptor in response to noxious and non-noxious stimulation," <u>J. Neurosci.</u> 17:8049-8060 (1997).  |  |
|                     | 4.       | ANDERSON et al., "Dopamine D <sub>1</sub> receptor-stimulated release of acetylcholine in rat striatum is mediated indirectly by activation of striatal neurokinin <sub>1</sub> receptors," <u>J. Pharmacol. Exp. Therap.</u> 269:1144-1151 (1994).             |  |
|                     | 5.       | ANTON et al., "Development of a biotinylated analog of substance P for use as a receptor probe," <u>Laboratory Investigation</u> 64:703-708 (1991).   |  |
|                     | 6.       | BOEHMER et al., "High levels of mRNA coding for substance P, somatostatin and alpha-tubulin are expressed by rat and rabbit dorsal root ganglia neurons," <u>Peptides</u> 10:1179-1194 (1989).  |  |
|                     | 7.       | BOZIC et al., "Neurogenic amplification of immune complex inflammation," <u>Science</u> 273:1722-1725 (1996).   |  |

|          |                 |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/

|  |   |                                 |
|--|---|---------------------------------|
| REPLACEMENT<br>INFORMATION DISCLOSURE<br>CITATION IN AN<br>APPLICATION<br><br>(PTO-1449) | ATTY. DOCKET NO.<br><b>066785-0017</b>      | SERIAL NO.<br><b>10/813,856</b> |
|  | APPLICANT<br><b>Douglas A. Lappi et al.</b> |                                 |
|  | FILING DATE<br><b>March 30, 2004</b>        | GROUP<br><b>1631</b>            |

|     |   |  |
|-----|---|--|
| 8.  | BRELJE et al., "Three-dimensional imaging of intact isolated islets of Langerhans with confocal microscopy," <u>Diabetes</u> 38:808-814 (1989).   |  |
| 9.  | BRIMIJOIN et al., "Axonal transport of substance P in the vagus and sciatic nerves of the guinea pig," <u>Brain Research</u> 191:443-457 (1980).  |  |
| 10. | BROWN et al., "Morphological characterization of substance P receptor-immunoreactive neurons in the rat spinal cord and trigeminal nucleus caudalis," <u>J. Comp. Neurol.</u> 356:327-344 (1995).                                 |  |
| 11. | BUECHLER et al., "Synthesis and characterization of a homogeneous chemical conjugate between basic fibroblast growth factor and saporin," <u>Eur. J. Biochem.</u> 234(3):706-713 (1995).  |  |
| 12. | CHAPMAN and DICKENSON, "The effect of intrathecal administration of RP67580, a potent neurokinin 1 antagonist on nociceptive transmission in the rat spinal cord," <u>Neurosci. Lett.</u> 157:149-152 (1993).                     |  |
| 13. | DE KONICK et al., "Substance P-mediated slow excitatory postsynaptic potential elicited in dorsal horn neurons in vivo by noxious stimulation," <u>Proc. Natl. Acad. Sci. USA</u> 88:11344-11348 (1991).                          |  |
| 14. | DEL FIACCO et al., "GAP-43 persists in adulthood and coexists with SP and CGRP in human trigeminal sensory neurons," <u>NeuroReport</u> 5:2349-2352 (1994).   |  |
| 15. | DING, et al., "Spinoparabrachial tract neurons showing substance P receptor-like immunoreactivity in the lumbar spinal cord of the rat," <u>Brain Research</u> 674:336-340 (1995).  |  |
| 16. | DOUGHERTY et al., "Combined application of excitatory amino acids and substance P produced long-lasting changes in responses of primate spinothalamic tract neurons," <u>Brain Res. Rev.</u> 18:227-246 (1993).                   |  |
| 17. | DOUGHERTY et al., "Enhancement of spinothalamic neuron responses to chemical and mechanical stimuli following combined micro-iontophoretic application of N-methyl-D-aspartic acid and substance P," <u>Pain</u> 47:85-93 (1991). |  |
| 18. | DUGGAN et al., "Sustained isometric contraction of skeletal muscle results in release of immunoreactive neurokinins in the spinal cord of the anaesthetized cat," <u>Neurosci. Lett.</u> 122:191-194 (1991).                      |  |
| 19. | GILCHRIST et al., "Enhanced withdrawal responses to heat and mechanical stimuli following intraplantar injection of capsaicin in rats," <u>Pain</u> 67:179-188 (1996).  |  |
| 20. | GRADY et al., "Delineation of the endocytotic pathway of substance P and its seven-transmembrane domain NK1 receptor," <u>Mol. Biol. Cell</u> 6:509-524 (1995).   |  |
| 21. | GUZMAN et al., "Effect of substance P on acetylcholine and dopamine release in the rat striatum: a microdialysis study," <u>Brain Research</u> 622:147-154 (1993).  |  |
| 22. | HARGREAVES et al., "A new and sensitive method for measuring thermal nociception in cutaneous hyperalgesia," <u>Pain</u> 32:77-88 (1988).   |  |

|          |                 |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

**ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/**

|  |   |                                 |
|--|---|---------------------------------|
| REPLACEMENT<br>INFORMATION DISCLOSURE<br>CITATION IN AN<br>APPLICATION<br><br>(PTO-1449) | ATTY. DOCKET NO.<br><b>066785-0017</b>      | SERIAL NO.<br><b>10/813,856</b> |
|  | APPLICANT<br><b>Douglas A. Lappi et al.</b> |                                 |
|  | FILING DATE<br><b>March 30, 2004</b>        | GROUP<br><b>1631</b>            |

|     |  |  |
|-----|--|--|
| 23. | HOKFELT et al., "Experimental immunohistochemical studies on the localization and distribution of substance P in cat primary sensory neurons," <u>Brain Research</u> 100:235-252 (1975).   |  |
| 24. | HUMPEL, "Intranigral injection of selective neurokinin-1 and neurokinin-3 but not neurokinin-2 receptor agonists biphasically modulate striatal dopamine metabolism but not striatal preprotachykinin-A mRNA in the rat," <u>Neurosci. Lett.</u> 157:223-226 (1993). |  |
| 25. | JESSELL and IVERSEN, "Opiate analgesics inhibit substance P release from rat trigeminal nucleus," <u>Nature</u> 268:549-551 (1977).  |  |
| 26. | KAR et al., "Altered calcitonin gene-related peptide, substance P and enkephalin immunoreactivities and receptor binding sites in the dorsal spinal cord of the polyarthritic rat," <u>Eur J. Neurosci.</u> 6:345-354 (1994).  |  |
| 27. | KIM and CHUNG, "An experimental model for peripheral neuropathy produced by segmental spinal nerve ligation in the rat," <u>Pain</u> 50:355-363 (1992).  |  |
| 28. | LAMBERT et al., "Purified immunotoxins that are reactive with human lymphoid cells," <u>J. Biol. Chem.</u> 260:12035-12041 (1985).   |  |
| 29. | LAPPI et al., "Biological and chemical Characterization of basic FGF-saporin mitotoxin." <u>Biochem. Biophys. Res Commun.</u> 160(2):917-923 (1989).   |  |
| 30. | LAPPI et al., "Characterization of a Saponaria officinalis seed ribosome-inactivating protein: immunoreactivity and sequence homologies." <u>Biochem. Biophys. Res. Commun.</u> 129(3):934-942 (1985).   |  |
| 31. | LAPPI et al., "Characterization of a saporin mitotoxin specifically cytotoxic to cells bearing the granulocyte-macrophage colony-stimulating factor." <u>Growth Factors</u> 9(1):31-39 (1993).   |  |
| 32. | LAPPI et al., "Reducing the heterogeneity of chemically conjugated targeted toxins: homogeneous basic FGF-saporin," <u>Analytical Biochemistry</u> , 212(2):446-451 (1993).  |  |
| 33. | LITTLEWOOD, et al., "The types of neuron in spinal dorsal horn which possess neurokinin-1 receptors," <u>Neuroscience</u> 66:597-608 (1995).   |  |
| 34. | LIU et al., "Synaptic relationship between substance P and the substance P receptor: light and electron microscopic characterization of the mismatch between neuropeptides and their receptors," <u>Proc. Natl. Acad. Sci. USA</u> 91:1009-1013 (1994).              |  |
| 35. | LUO and WISENFELD-HALLIM, "The effects of pretreatment with tachykinin antagonists and galanin on the development of spinal cord hyperexcitability following sciatic nerve section in the rat," <u>Neuropeptides</u> 28:161-166 (1995).                              |  |
| 36. | MA et al., "Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurons," <u>J. Physiol. (London)</u> 486:769-777 (1995).   |  |
| 37. | MALMBERG et al., "Hyperalgesia mediated by spinal glutamate or substance P receptor blocked by spinal cyclooxygenase inhibition," <u>Science</u> 257:1276-1279 (1992).   |  |

|          |                 |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

**ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/**

|  |   |                                 |
|--|---|---------------------------------|
| REPLACEMENT<br>INFORMATION DISCLOSURE<br>CITATION IN AN<br>APPLICATION<br><br>(PTO-1449) | ATTY. DOCKET NO.<br><b>066785-0017</b>      | SERIAL NO.<br><b>10/813,856</b> |
|  | APPLICANT<br><b>Douglas A. Lappi et al.</b> |                                 |
|  | FILING DATE<br><b>March 30, 2004</b>        | GROUP<br><b>1631</b>            |

|     |   |  |
|-----|---|--|
| 38. | MANTYH et al., "Beta 2-adrenergic receptors are expressed by glia in vivo in the normal and injured central nervous system in the rat, rabbit, and human," <u>J. Neurosci.</u> 15:152-164 (1995).   |  |
| 39. | MANTYH et al., "Some sensory neurons express neuropeptide Y receptors: potential paracrine inhibition of primary afferent nociceptors following peripheral nerve injury," <u>J. Neurosci.</u> 14:3958-3968 (1994).  |  |
| 40. | MANTYH, et al., "Receptor endocytosis and dendrite reshaping in spinal neurons after somatosensory stimulation," <u>Science</u> 268:1629-1632 (1995).   |  |
| 41. | MARSHALL et al., "Neurokinin-1 receptors on lumbar spinothalamic neurons in the rat," <u>Neuroscience</u> 72:255-263 (1996).  |  |
| 42. | MCCARSON and KRAUSE, "The formalin-induced expression of tachykinin peptide and neurokinin receptor message RNAs in rat sensory ganglia and spinal cord is mediated by opiate preadministration," <u>Neuroscience</u> 64:729-739 (1995).                  |  |
| 43. | MUNRO et al., "The effects of neurokinin receptor antagonists on mustard oil-evoked activation of rat dorsal horn neurons," <u>Neuropeptides</u> 25:299-305 (1993).   |  |
| 44. | NAGY et al., "NK1 and NK2 receptors contribute to C-fibre evoked slow potentials in the spinal cord," <u>NeuroReport</u> 5:2105-2108 (1994).  |  |
| 45. | NAGY et al., "The role of neurokinin and N-methyl-D-aspartate receptors in synaptic transmission from capsaicin-sensitive primary afferents in the rat spinal cord in vitro," <u>Neuroscience</u> 52:1029-1037 (1993).                                    |  |
| 46. | NAKAYA et al., "Immunohistochemical localization of substance P receptor in the central nervous system of the adult rat," <u>J. Comp. Neurol.</u> 347:249-274 (1994).   |  |
| 47. | NEUGEBAUER et al., "Involvement of substance P receptors in the hyperexcitability of dorsal horn neurons during the development of acute arthritis in rat's knee joint," <u>J. Neurophysiol.</u> 73:1574-1583 (1995).                                     |  |
| 48. | NEUGEBAUER et al., "The involvement of substance P and neurokinin-1 receptors in the responses of rat dorsal horn neurons to noxious but not to innocuous mechanical stimuli applied to the knee joint," <u>Brain Res.</u> 666:207-215 (1994).            |  |
| 49. | NICHOLS, et al., "Transmission of chronic nociception by spinal neurons expressing the substance P receptor," <u>Science</u> 286:1558-1561 (1999).  |  |
| 50. | PICARD et al., "Cardiovascular and behavioural effects of centrally administered tachykinins in the rat: characterization of receptors with selective antagonists," <u>Br. J. Pharmacol.</u> 112(1):240-249 (1994)  |  |
| 51. | QUARTU et al., "Calcitonin gene-related peptide in the human trigeminal sensory system at developmental and adult life stages: immunohistochemistry, neuronal morphometry and coexistence with substance P," <u>J. Chem. Neuroanat.</u> 5:143-157 (1992). |  |

|          |                 |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

**ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/**

|  |   |                                 |
|--|---|---------------------------------|
| REPLACEMENT<br>INFORMATION DISCLOSURE<br>CITATION IN AN<br>APPLICATION<br><br>(PTO-1449) | ATTY. DOCKET NO.<br><b>066785-0017</b>      | SERIAL NO.<br><b>10/813,856</b> |
|  | APPLICANT<br><b>Douglas A. Lappi et al.</b> |                                 |
|  | FILING DATE<br><b>March 30, 2004</b>        | GROUP<br><b>1631</b>            |

|     |   |  |
|-----|---|--|
| 52. | SALTER et al., "Responses of functionally identified neurons in the dorsal horn of the cat spinal cord to substance P, neurokinin A and physalaemin," <u>Neuroscience</u> 43:601-610 (1991).  |  |
| 53. | SANN et al., "Reduction of substance P binding sites in the spinal dorsal horn after perineural capsaicin treatment in the rat," <u>Neurosci Lett.</u> 190:151-154 (1995).  |  |
| 54. | SCHAIBLE et al., "Release of immunoreactive substance P in the spinal cord during development of acute arthritis in the knee joint of the cat: a study with antibody microprobes," <u>Brain Research</u> 529:214-223 (1990).  |  |
| 55. | SIMONE et al., "Neural mechanisms of hyperalgesia," <u>Curr. Opin. Neurobiol.</u> 2:479-483 (1992).   |  |
| 56. | SIMONE et al., "Neurogenic hyperalgesia: central neural correlates in responses of spinothalamic tract neurons," <u>J. Neurophysiol.</u> 66:228-246 (1991).   |  |
| 57. | SMITH et al., "Non-specific effects of the tachykinin NK1 receptor antagonist, CP-99, 994, in antinociceptive tests in rat, mouse and gerbil," <u>Eur. J. Pharmacol.</u> 271:481-487 (1994).  |  |
| 58. | STIRPE et al., "Ribosome-inactivating proteins from plants: present status and future prospects," <u>Bio/Technology</u> 10:405-412 (1992).  |  |
| 59. | STIRPE et al., "Ribosome-inactivating proteins from the seeds of <i>Saponaria officinalis</i> L. (soapwort) of <i>Agrostemma githago</i> L. (corn cockle) and of <i>Asparagus officinalis</i> (asparagus) and from the latex of <i>Hura crepitans</i> L. (sandbox tree)." <u>Biochem J.</u> 216:617-625 (1983). |  |
| 60. | TADANO et al., "Immunohistochemical determination of rat spinal cord substance P, and antinociceptive effect during development of thiamine deficiency," <u>Brain Res.</u> 696:21-29 (1995).  |  |
| 61. | TRAUB et al., "The spinal contribution of substance P to the generation and maintenance of inflammatory hyperalgesia in the rat," <u>Pain</u> 67:151-161 (1996).  |  |
| 62. | VIGNA et al., "Characterization of antibodies to the rat substance P (NK-1) receptor and to a chimeric substance P receptor expressed in mammalian cells," <u>J. Neurosci.</u> 14:834-845 (1994).   |  |
| 63. | YAMAMOTO et al., "Effects of FK224, a novel cyclopeptide NK1 and NK2 antagonist, and CP-96, 345, a nonpeptide NK1 antagonist, on development and maintenance of thermal hyperesthesia evoked by carrageenan injection in the rat paw," <u>Anesthesiology</u> 79:1042-1050 (1993).                               |  |
| 64. | YASHPAL et al., "Noxious peripheral stimulation produced antinociception mediated via substance P and opioid mechanisms in the rat tail-flick test," <u>Brain Res.</u> 674:97-103 (1995).   |  |
| 65. | YASHPAL et al., "Noxious stimulation decreases substance P binding in rat spinal dorsal horn: competition by endogenous ligand?" <u>NeuroReport</u> 5:2101-2104 (1995).   |  |

SDO 113105-1.066785.0017

|  |  |
|--|--|
| EXAMINER<br><br><b>/Michael Borin/</b> | DATE CONSIDERED<br><br><b>06/19/2009</b> |
|--|--|

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

**ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/**